




SUPROFLEX MOUNTED LED NAVIGATION LIGHT SET, 2-9/16"



Introducing a new Rub Rail LED Navigation Light designed specifically for SuproFlex! This sleek, low-profile navigation light fits V11-9960, V11-9990 and V11-9950 (OEM only) SuproFlex profiles, meets ABYC and USCG requirements for both sail and powerboat designation and has a water-resistant IP68 rating for hours of maintenance-free use.

FEATURES & BENEFITS

- Ideal for boats up to 30'
- Sold in pairs with one 3-watt port (red) light and one 2-watt starboard (green) light
- Brightness compares to 10-watt incandescent light
- Enables more deck space
- Easy to install
- Provides a 112.5-degree unobstructed view with less glare
- Meets ABYC/USCG requirements for both sail and powerboat designation
- Low-voltage 12-14VDC
- Anodized aluminum heat sink for maximum heat dissipation
- Water-resistant IP68 rating
- Uses #8 stainless steel fasteners, not included
- Patent number USD760427



The compliance date for ABYC A-16, Installation of Electric Navigation Lights, and C-5, Construction and Testing of Electric Navigation Lights, went into effect on August 1, 2023. All TACO Marine Navigation, Masthead, and All-Around Lights meet the requirements set forth and are approved under the NMMA Type Accepted Agreement. Additionally, all TACO Marine Navigation Lights have always used LED Cree chip technology. Please see below for documented approval of the required testing:

C-5 Testing

All-Around (F38-9000 Root Part Number)

Component ID 2619819

<https://www.ect.nmma.org/00001205/component/application/2619819/details>

C-5 Compliant

Navigation Lights (Side Lights)

Component ID 2619788

<https://www.ect.nmma.org/00001205/component/application/2619788/details>

*Proper installation of Navigation Lights is very important.
Please contact TACO Marine customer service before purchasing or installing.*

PART NUMBER	DESCRIPTION	WIDTH	AMP DRAW	UPC
F38-9960	LED Nav Light, SuproFlex Rub Rail Black Plastic	3-3/4"	0.6 amps @ 12V	631363093592

